



上海汉钟精机股份有限公司(总部)

上海市金山区枫泾镇亭枫公路8289号

Shanghai Hanbell Precision Machinery Co., Ltd.

Add: No.8289,Tingfeng Road,Fengjing Area,Jinshan District,Shanghai

Tel: 021-57350280

Fax: 021-31106889/57352004

上海汉钟精机股份有限公司枫泾一厂

上海市金山区枫泾镇建青路108号

Shanghai Hanbell Precision Machinery Co., Ltd. Fengjing Factory NO.1

Add: No.108,Jiangong Road,Fengjing Area,Jinshan District,Shanghai

Tel: 021-57350280

Fax: 021-31106805

上海汉钟精机股份有限公司济南分公司

山东省济南市长清区玉洁路南段2222号舜谷国际企业港4号楼

Shanghai Hanbell Precision Machinery Co., Ltd. Jinan Branch Office

Add: No.4,Building 4,Shandong Valley International Enterprise Port,No.2222,Southern Section of

Yuqing Road,Changqing District,Jinan,Shandong Province.

Tel: 0531-85060071

Fax: 0531-85060071

上海汉钟精机股份有限公司南京分公司

江苏省南京市江宁区双龙大道1706号B栋一楼

Shanghai Hanbell Precision Machinery Co., Ltd. Nanjing Branch Office

Add: B1F, No.1706,Shuanglong Road, Jiangning District,Nanjing City, Jiangsu Province.

Tel: 025-52078091/52078093/52078094

Fax: 025-52078090

重庆分公司

重庆南岸区玉马路18号

Shanghai Hanbell Precision Machinery Co., Ltd. Chongqing Branch Office

Add: No.18,Yuma Road,Nantian District,Chongqing

Tel: 023-62611068

Fax: 023-62611068

重庆分公司


重庆市南岸区玉马路18号

Shanghai Hanbell Precision Machinery Co., Ltd. Chongqing Branch Office

Add: No.18,Yuma Road,Nantian District,Chongqing


Tel: 023-62611068

Fax: 023-62611068





"Industry 4.0"; smart manufacturing" is the development trend of manufacturing technology, such as fluid mechanical and electrical



風扇

- A 十二经的气血盛衰 B 阴阳盛衰 C 脏腑组织的特性
 D 经络的多少 E 以上都不是




密到市

4. 驱动电路

cell body inspection center

Assembly line of screw compressor

Scroll and performance test center



OIL-FREE SCROLL AIREND

为每一辆汽车设计

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

无油涡旋机组设计特点:

Oil-free scroll unit design features:

- 1、空气系统中完全无油、碳的污染，更清洁。
- 2、运动部件少，结构简单，可靠性高，使用寿命长。
- 3、无需更换润滑油及滤油过滤器，无废油处置的问题，更环保。
- 4、工作时动静部分不接触，振动小，噪音更低。
- 5、运行费用极低，每年可为您节省上万元的费用。
- 6、几乎无易损件，维护工作量极少，维护成本更低。
- 7、可实现智能多机连锁，循环启动停止控制，可实现经济运行降低电消耗。
- 8、可实现智能分散控制，在分散控制条件下，可实现多台压缩机使用。

- 1, the air system completely oil-free, carbon pollution, cleaner.
- 2, less moving parts, simple structure, high reliability, long service life.
- 3, no need to replace the oil and oil filters, no waste disposal problems, more environmentally friendly,
- 4, when working, static and dynamic scrolls do not touch, vibration, low noise.
- 5, operating costs are very low, you can save tens of thousands of dollars a year.
- 6, almost no wearing parts, maintenance workload is very small, lower maintenance costs.
- 7, can achieve intelligent multi-machine chain, cycle start / stop control, to achieve optimal operation to reduce power consumption....
- 8, equipped with independent development of the compress



无油涡旋机组设计特点:

Oil-free scroll air compressor design features:

- 1、空气纯度更高，含油量极低。
- 2、搭载智能彩色液晶控制系统，运行更优化。
- 3、噪音低，可直接放置在生产车间中，几乎无干扰。
- 4、几乎无易损件，维护工作量极少，维护成本更低。
- 5、运行费用极低，每年可为您节省上万元的费用。
- 6、可实现智能多机连锁，循环启动停止控制，可实现经济运行降低电消耗。
- 7、可实现智能分散控制，在分散控制条件下，可实现多台压缩机使用。

- 1, air purity is high, oil content is very low.
- 2, equipped with intelligent color LCD control system, more optimized operation....
- 3, low noise, can be directly placed in the production workshop, almost no interference.
- 4, almost no wearing parts, maintenance workload is very small, lower maintenance costs.
- 5, the operating costs are very low, you can save tens of thousands of dollars a year.
- 6, can achieve intelligent multi-machine chain, cycle start / stop control, to achieve optimal operation to reduce power consumption....
- 7, equipped with independent development of the compress



无油涡旋机组规格表

Oil-free scroll air compressor specification table

无油涡旋机组规格表				Oil-free scroll air compressor specification table			
流量	功率	接口	重量	流量	功率	接口	重量
0.6~1.0	7.70	3/4"	60±2	1.0~1.5	10.50	1"	70±2
1.0~1.5	10.50	1"	80±2	1.5~2.0	13.50	1 1/2"	90±2
2.0~3.0	17.00	1 1/2"	100±2	3.0~4.0	22.00	2"	120±2
4.0~5.0	28.00	2"	140±2	5.0~6.0	33.00	2 1/2"	160±2
6.0~10.0	42.00	3"	180±2	10.0~15.0	65.00	4"	220±2
15.0~20.0	77.00	4"	280±2	20.0~30.0	105.00	5"	320±2
30.0~40.0	135.00	6"	420±2	40.0~50.0	170.00	8"	520±2
50.0~60.0	220.00	8"	620±2	60.0~70.0	250.00	10"	680±2
70.0~80.0	280.00	10"	720±2	80.0~90.0	320.00	12"	820±2
90.0~100.0	330.00	12"	880±2	100.0~110.0	380.00	14"	980±2
110.0~120.0	420.00	14"	1020±2	120.0~130.0	480.00	16"	1120±2
130.0~140.0	520.00	16"	1180±2	140.0~150.0	580.00	18"	1280±2
150.0~160.0	620.00	18"	1320±2	160.0~170.0	680.00	20"	1420±2
170.0~180.0	720.00	20"	1480±2	180.0~190.0	780.00	22"	1580±2
190.0~200.0	820.00	22"	1640±2	200.0~210.0	880.00	24"	1740±2
210.0~220.0	920.00	24"	1825±2	220.0~230.0	980.00	26"	1960±2
230.0~240.0	1020.00	26"	2120±2	240.0~250.0	1120.00	28"	2280±2
250.0~260.0	1120.00	28"	2420±2	260.0~270.0	1220.00	30"	2580±2
270.0~280.0	1220.00	30"	2680±2	280.0~290.0	1320.00	32"	2820±2
290.0~300.0	1320.00	32"	2920±2	300.0~310.0	1420.00	34"	3080±2
310.0~320.0	1420.00	34"	3240±2	320.0~330.0	1520.00	36"	3340±2
330.0~340.0	1520.00	36"	3500±2	340.0~350.0	1620.00	38"	3600±2
350.0~360.0	1620.00	38"	3760±2	360.0~370.0	1720.00	40"	3860±2
370.0~380.0	1720.00	40"	4020±2	380.0~390.0	1820.00	42"	4120±2
390.0~400.0	1820.00	42"	4280±2	400.0~410.0	1920.00	44"	4380±2
410.0~420.0	1920.00	44"	4540±2	420.0~430.0	2020.00	46"	4640±2
430.0~440.0	2020.00	46"	4800±2	440.0~450.0	2120.00	48"	4900±2
450.0~460.0	2120.00	48"	5060±2	460.0~470.0	2220.00	50"	5160±2
470.0~480.0	2220.00	50"	5320±2	480.0~490.0	2320.00	52"	5420±2
490.0~500.0	2320.00	52"	5580±2	500.0~510.0	2420.00	54"	5680±2
510.0~520.0	2420.00	54"	5840±2	520.0~530.0	2520.00	56"	5940±2
530.0~540.0	2520.00	56"	6100±2	540.0~550.0	2620.00	58"	6200±2
550.0~560.0	2620.00	58"	6360±2	560.0~570.0	2720.00	60"	6460±2
570.0~580.0	2720.00	60"	6620±2	580.0~590.0	2820.00	62"	6720±2
590.0~600.0	2820.00	62"	6880±2	600.0~610.0	2920.00	64"	7080±2
610.0~620.0	2920.00	64"	7140±2	620.0~630.0	3020.00	66"	7340±2
630.0~640.0	3020.00	66"	7400±2	640.0~650.0	3120.00	68"	7600±2
650.0~660.0	3120.00	68"	7660±2	660.0~670.0	3220.00	70"	7860±2
670.0~680.0	3220.00	70"	7920±2	680.0~690.0	3320.00	72"	8120±2
690.0~700.0	3320.00	72"	8180±2	700.0~710.0	3420.00	74"	8380±2
710.0~720.0	3420.00	74"	8440±2	720.0~730.0	3520.00	76"	8640±2
730.0~740.0	3520.00	76"	8700±2	740.0~750.0	3620.00	78"	8900±2
750.0~760.0	3620.00	78"	8960±2	760.0~770.0	3720.00	80"	9160±2
770.0~780.0	3720.00	80"	9220±2	780.0~790.0	3820.00	82"	9420±2
790.0~800.0	3820.00	82"	9480±2	800.0~810.0	3920.00	84"	9680±2
810.0~820.0	3920.00	84"	9740±2	820.0~830.0	4020.00	86"	9940±2
830.0~840.0	4020.00	86"	10000±2	840.0~850.0	4120.00	88"	10200±2
850.0~860.0	4120.00	88"	10260±2	860.0~870.0	4220.00	90"	10460±2
870.0~880.0	4220.00	90"	10520±2	880.0~890.0	4320.00	92"	10720±2
890.0~900.0	4320.00	92"	10780±2	900.0~910.0	4420.00	94"	10980±2
910.0~920.0	4420.00	94"	11040±2	920.0~930.0	4520.00	96"	11240±2
930.0~940.0	4520.00	96"	11300±2	940.0~950.0	4620.00	98"	11500±2
950.0~960.0	4620.00	98"	11560±2	960.0~970.0	4720.00	100"	11760±2
970.0~980.0	4720.00	100"	11820±2	980.0~990.0	4820.00	102"	12020±2
990.0~1000.0	4820.00	102"	12080±2				

模组化彩屏显示器，配备高性能微机电路板，显示屏上能清晰显示运行的状态和各种故障预警。

模组化彩屏显示器，配备高性能微机电路板，显示屏上能清晰显示运行的状态和各种故障预警。

The modular color LCD panel display is equipped with a high-performance micro-electronic circuit board, which can clearly display the operating status and various fault warnings on the display screen.

模组化彩屏显示器，配备高性能微机电路板，显示屏上能清晰显示运行的状态和各种故障预警。

无油涡旋机组规格表

Oil-free scroll air compressor specification table

流量	功率	接口	重量	流量	功率	接口	重量
0.6~1.0	7.70	3/4"	60±2	1.0~1.5	10.50	1"	70±2
1.0~1.5	10.50	1"	80±2	1.5~2.0	13.50	1 1/2"	90±2
2.0~3.0	17.00	1 1/2"	100±2	3.0~4.0	22.00	2"	120±2
4.0~5.0	28.00	2"	140±2	5.0~6.0	33.00	2 1/2"	160±2
6.0~10.0	42.00	3"	180±2	10.0~15.0	65.00	4"	220±2
15.0~20.0	77.00	4"	280±2	20.0~30.0	105.00	5"	320±2
30.0~40.0	135.00	6"	420±2	40.0~50.0	170.00	8"	520±2
50.0~60.0	220.00	8"	620±2	60.0~70.0	250.00	10"	680±2
70.0~80.0	280.00	10"	720±2	80.0~90.0	320.00	12"	820±2
90.0~100.0	330.00	12"	880±2	100.0~110.0	380.00	14"	980±2
110.0~120.0	420.00	14"	1020±2	120.0~130.0	480.00	16"	1120±2
130.0~140.0	520.00	16"	1180±2	140.0~150.0	580.00	18"	1280±2
150.0~160.0	620.00	18"	1320±2	160.0~170.0	680.00	20"	1420±2
170.0~180.0	720.00	20"	1480±2	180.0~190.0	780.00	22"	1580±2
190.0~200.0	820.00	22"	1640±2	200.0~210.0	880.00	24"	1740±2
210.0~220.0	920.00	24"	1825±2	220.0~230.0	980.00	26"	1960±2
230.0~240.0	1020.00	26"	2120±2	240.0~250.0	1120.00	28"	2280±2
250.0~260.0	1120.00	28"	2420±2	260.0~270.0	1220.00	30"	2580±2
270.0~280.0	1220.00	30"	2680±2	280.0~290.0	1320.00	32"	2820±2
290.0~300.0	1320.00	32"	2920±2	300.0~310.0	1420.00	34"	3080±2
310.0~320.0	1420.00	34"	3240±2	320.0~330.0	1520.00	36"	3340±2
330.0~340.0	1520.00	36"	3500±2	340.0~350.0	1620.00	38"	3600±2
350.0~360.0	1620.00	38"	3760±2	360.0~370.0	1720.00	40"	3860±2
370.0~380.0	1720.00	40"	4020±2	380.0~390.0	1820.00	42"	4120±2
390.0~400.0	1820.00	42"	4280±2	400.0~410.0	1920.00	44"	4380±2
410.0~420.0	1920.00	44"	4540±2	420.0~430.0	2020.00	46"	4640±2
430.0~440.0	2020.00	46"	4800±2	440.0~450.0	2120.00	48"	4900±2
450.0~460.0	2120.00	48"	5060±2	460.0~470.0	2220.00	50"	5160±2
470.0~480.0	2220.00	50"	5320±2	480.0~490.0	2320.00	52"	5420±2
490.0~500.0	2320.00	52"	5580±2	500.0~510.0	2420.00	54"	5680±2
510.0~520.0	2420.00	54"	5840±2	520.0~530.0	2520.00	56"	5940±2
530.0~540.0	2520.00	56"	6100±2	540.0~550.0	2620.00	58"	6200±2
550.0~560.0	2620.00	58"	6360±2	560.0~570.0	2720.00	60"	6460±2
570.0~580.0	2720.00	60"	6620±2	580.0~590.0	2820.00	62"	6720±2
590.0~600.0	2820.00	62"	6880±2	600.0~610.0	2920.00	64"	7080±2
610.0~620.0	2920.00	64"	7140±2	620.0~630.0	3020.00	66"	7340±2
630.0~640.0	3020.00	66"	7400±2	640.0~650.0	3120.00	68"	7600±2
650.0~660.0	3120.00	68"	7660±2	660.0~670.0	3220.00	70"	7860±2
670.0~680.0	3220.00	70"	8120±2	680.0~690.0	3320.00	72"	8120±2
690.0~700.0	3320.00	72"	8380±2	700.0~710.0	3420.00	74"	8380±2
710.0~720.0	3420.00	74"	8640±2	720.0~730.0	3520.00	76"	8640±2
730.0~740.0	3520.00	76"	8900±2	740.0~750.0	3620.00	78"	8900±2
750.0~760.0	3620.00	78"	9160±2	760.0~770.0	3720.00	80"	9160±2
770.0~780.0	3720.00	80"	9420±2	780.0~790.0	3820.00	82"	9420±2
790.0~800.0	3820.00	82"	9680±2	800.0~810.0	3920.00	84"	9680±2
810.0~820.0	3920.00	84"	9940±2	820.0~830.0	4020.00	86"	9940±2
830.0~840.0	4020.00	86"	10200±2	840.0~850.0	4120.00	88"	10200±2
850.0~860.0	4120.00	88"	10460±2	860.0~870.0	4220.00	90"	10460±2
870.0~880.0	4220.00	90"	10720±2	880.0~890.0	4320.00	92"	10720±2
890.0~900.0	4320.00	92"	10980±2	900.0~910.0	4420.00	94"	10980±2
910.0~920.0	4420.00	94"	11240±2	920.0~930.0	4520.00	96"	11240±2
930.0~940.0	4520.00	96"	11500±2	940.0~950.0	4620.00	98"	11500±2
950.0~960.0	4620.00	98"	11760±2	960.0~970.0	4720.00	100"	11760±2
970.0~980.0	4720.00	100"	12020±2	980.0~990.0	4820.00	102"	12020±2
990.0~1000.0	4820.00	102"	12280±2				



应用领域 application



汽车及工程机械生产所需空气（制动、雨刷气门）。

Automotive and engineering production required air (brake, wiper valve, etc.).



医疗器械（牙医、制氧等医疗气源）

Medical instrument (dentist, oxygen and other medical gas sources)



电子工业（装配清洁用气）

Electronics industry (assembly, cleaning gas)



制药工业（制药业的搅拌）

Pharmaceutical industry (agitation of pharmaceutical industry)



纺织工业（空气喷纬机）




气体分离设备（吸附和膜分离制氮、制氧）。

Gas separation equipment (adsorption and membrane separation nitrogen, oxygen).



服务与支持

Service And Support



汉钟精机经过多年的努力与用心经营，从点的销售、线的推广到今天面对网络。建立了世界销售网络。

台湾桃园厂与大陆上海厂的双重支持保障销售和服务网络是在各分公司当地经销商

VISION:

Committed Hanchong to expand the world leading brand

to make Hanchong a world leading brand

and to make Hanchong a world leading brand

in the overseas market and make